

# **iEye**

# OSE01



Long life, Easy installation, Perfect for lighting dark such as a closet, kitchen

## **Applications**

Motion sensitive, Small and portable, Perfect for lighting dark areas such as a closet kitchen

# **Energy saving**

Energy saving effect by low power consumption.

# Long life time

Low maintenance cost by long life time.

#### Dimmer switch

Could adjust brightness


# **Easy installation**

Light body easy leave out of the wall mount

# **Eco-friendly**

Neither harmful electromagnetic wave nor ultraviolet ray is emitted.


# - DIMENSION OSE01




	Model NO.	Housing	Power	Input Voltage	Operation	Dimension(W*L*H)(mm)	Net Weight
			Consumption		Temperature( $^{\circ}$ C)		
Ī	OSE01	Plastic	0.22W	4.5V	-5~+40	57*77*26	33.5g

# Operation

1.No wiring required and battery operated (3xAAA)



2.With 3M 300LSE at the housing back, light body easy leave out of the wall mount



3.Dimmer switch





Unit 1207, 12/F., Wah Yiu Industrial Center, 30-32 Au Pui Wan Street, Fo Tan., N.T., Hong Kong

Tel: (852) 2790 5099 (8 Lines)

**LED Division** 

E-mail: sales@optosupply.hk

E-mail:sales-hk@optosupply.com

Fax: (852) 2342 9833

Website: www.optosupply.hk

Website: www.optosupply.com

# **iEye**

OSE03



Intelligent, Long life, Easy installation, Perfect for lighting dark such as a closet, kitchen

#### **Applications**

Motion sensitive, Small and portable, Perfect for lighting dark areas such as a closet kitchen

#### **Energy saving**

Energy saving effect by low power consumption.

#### Long life time

Low maintenance cost by long life time.

#### Listen

Sounds activated light ON and auto OFF at dark area .Turn OFF automatically after no voice for 30 seconds. Detection distance 2M.


#### **Easy installation**

Light body easy leave out of the wall mount

#### **Eco-friendly**

Neither harmful electromagnetic wave nor ultraviolet ray is emitted.

#### DIMENSION







	Model NO.	Housing	Power	Input Voltage	Operation	Dimension(W*L*H)(mm)	Net Weight
			Consumption		Temperature( $^{\circ}$ )		
	OSE03	Plastic	0.09W	4.5V	-5~+40	57*77*29	33.5g

#### Operation


1. Sounds activated light ON and auto OFF at dark area



2. Turn OFF automatically after no voice for 30 seconds



3.Detection distance 2M.



www.optosupply.hk Ver.1



# **iEye**

# OSE02



Intelligent, Long life, Easy installation, Perfect for lighting dark such as a closet, kitchen

### **Applications**

Motion sensitive, Small and portable, Perfect for lighting dark areas such as a closet kitchen

# **Energy saving**

Energy saving effect by low power consumption.

## Long life time

Low maintenance cost by long life time.

### Intelligent

Motion activated light on and auto off at dark area. Turn on automatically with movement in darkness. Turn off automatically after no movement for 20 seconds. Detection distance 120degree x 2M


### **Easy installation**

Light body easy leave out of the wall mount

# **Eco-friendly**

Neither harmful electromagnetic wave nor ultraviolet ray is emitted.

#### DIMENSION



OSE02


Model NO.	Housing	Power	Input Voltage	Operation	Dimension(W*L*H)(mm)	Net Weight
		Consumption		Temperature(°C)		
OSE02	Plastic	0.18W	4.5V	-5~+40	57*77*29	33.5g

#### Operation


1.Motion activated light on and auto off at dark area



2.Turn on automatically with movement in darkness



3. Turn off automatically after no movement for 20 seconds



4.Detection distance 120degree x 2M

